

Figure 1





A

B






Figure 2



Figure 3





Figure 4



C


" Ion concentrations of various simulated body fluids and human blood plasma

Ion concentration (mM) Na K Ca Mg Cl HCO ₃ HPO ₄ SO ₄ Piasma 7.4 142.0 5.0 2.5 1.5 103.0 27.0 1.0 0.5			. 2							
рН Na K Ca Mg CI HCO ₃ HPO ₄ 7.4 142.0 5.0 2.5 1.5 103.0 27.0 1.0			,			lon conc	entration (mM			
pH Na K Ca Mg CI HCO ₃ nPO ₄ 7.4 142.0 5.0 2.5 1.5 103.0 27.0 1.0										Ç
7.4 142.0 5.0 2.5 1.5 103.0 27.0 1.0		Ha	Na	ㅗ	Ca	Mg	ō	нсоз	4 Or	000
7.4 142.0 5.0 2.5 1.5 103.0 27.0 1.5								1	•	C C
	Human piasma	7.4	142.0	5.0	2.5	1.5	103.0	27.0	2	}


Figure 5

:

Figure 6




3=



C : . 7

Figure 8



-<u>:</u>-





Figure 10







Figure 12












Figure 14









В

A




Figure 17

:





Figure 18

Figure 19



, a








Figure 21







ď



1

* 1 3 %

